

AD-A066 703

CATHOLIC UNIV OF AMERICA WASHINGTON D C HUMAN PERFOR--ETC F/6 6/16  
CLASSIFICATION OF AMPLITUDE-MODULATED NOISE PATTERNS WITH EXTEN--ETC(U)  
DEC 78 J H HOWARD, J A BALLAS N00014-75-C-0308

UNCLASSIFIED

TR-78-7-ONR

NL

1 OF 1  
AD  
A066703



END  
DATE  
FILMED  
5-79  
DDC

AD A0 66703

DDC FILE COPY


LEVEL

(12)

CLASSIFICATION OF AMPLITUDE-MODULATED NOISE PATTERNS  
WITH EXTENDED PRACTICE

James H. Howard, Jr., and James A. Ballas

ONR CONTRACT NUMBER N00014-75-C-0308



Technical Report ONR-78-7

Human Performance Laboratory

Department of Psychology

The Catholic University of America

December, 1978

Approved for public release; distribution unlimited. Reproduction in whole or in part is permitted for any purpose of the United States Government.

79 03 30 187

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ONR-78-7	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) CLASSIFICATION OF AMPLITUDE-MODULATED NOISE PATTERNS WITH EXTENDED PRACTICE.		5. TYPE OF REPORT & PERIOD COVERED Technical Report
7. AUTHOR(s) James H. Howard, Jr. and James A. Ballas		8. CONTRACT OR GRANT NUMBER(s) N00014-75-C-0308
9. PERFORMING ORGANIZATION NAME AND ADDRESS The Catholic University of America Washington, D. C. 20064		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR 197-027
11. CONTROLLING OFFICE NAME AND ADDRESS Engineering Psychology Programs, Code 455		12. REPORT DATE December, 1978
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) TR-78-7-DNR		13. NUMBER OF PAGES 16
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited 12 23 p.		15. SECURITY CLASS. (of this report) Unclassified
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) auditory perception auditory pattern recognition auditory classification		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Four listeners were given extended practice in an eight-category classification task (3072 trials). The stimuli were sixteen amplitude-modulated noise patterns that varied in modulation frequency (Tempo) and attack (Quality). Two listeners learned an eight-category partition that was based primarily on stimulus Quality, and two learned a partition that was based primarily on stimulus Tempo. The resulting confusion data were analyzed in terms of the aural classification model proposed by Howard, Ballas, and Burgy (1978). The theoretical analysis enabled us to		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE  
S/N 0102-014-6601

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

79 03 30 18

409 381

alt

Unclassified

Block 20 continued

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

specify the relative emphasis placed on the two stimulus features by each listener on each of the sixteen trial blocks. The results indicated that although large individual differences occurred, all listeners had more difficulty making use of the subtle stimulus differences along the Quality dimension than they did of differences along the Tempo dimension. Three of the four listeners placed a greater emphasis on Tempo than would be optimal. Although one listener only "discovered" the Quality dimension after 750 trials, very few changes occurred for any listener after 1000 trials. It was concluded that extensive practice alone is not likely to improve a listener's ability to use difficult features in aural classification. The role of sensory factors in limiting performance was considered.

ACCESSION for	
NTIS	White Section <input checked="" type="checkbox"/>
DOC	Buff Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	ALL and/or SPECIAL
A	

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)



In a recent paper, Howard, Ballas, and Burgy (1978) presented a bottom-up model for the classification of complex, steady-state sounds. The model assumes that listeners undergo several steps in classifying a presented stimulus. First, an initial, low-level measurement representation of the stimulus is constructed by the peripheral auditory system. Second, these measurements are transformed by a feature extraction processor into a vector of higher-order feature elements. Third, a decision processor then estimates the perceptual distance between the stimulus and each of a set of category prototypes to determine the likelihood of each category given that stimulus. Finally, the stimulus is classified into the category having the greatest likelihood.

As in previous models of aural classification (Durlach & Braida, 1969), it is assumed that category likelihoods are represented by Gaussian density functions over the perceptual space. These likelihood functions may be estimated by fitting Gaussian distributions to confusion data obtained in a classification experiment. In the Howard et al model, the estimated variance parameters for the Gaussian distributions are particularly important. Unlike earlier classification models, one parameter is obtained for each dimension in the feature space. These parameters are analogous to uncertainty measures in that they describe the extent to which the categories overlap in the perceptual space.

Previous research with the model (Howard et al, 1978) has shown that listeners improve their classification performance very

quickly with practice, and that this improvement is reflected in a corresponding reduction in the estimated uncertainty parameters. The reduction was described as a fine tuning process that the listeners use to maximize the overall probability of correct classification. This tuning process is selective in that it emphasizes features that are important in the classification task, i.e., greater uncertainty reduction occurs for more relevant dimensions than for less relevant dimensions. However, Howard et al have noted that the tuning process does not continue as long as one would expect for optimal classification. In particular, there appeared to be an overall limit on the amount of uncertainty reduction that could occur. Since this limit could not be attributed to absolute sensitivity limitations, Howard et al (1978) argued that it was determined by a limit on the listener's overall information-processing capacity (e.g., Kahneman, 1973). Given this limit, it was concluded that the listener's feature tuning process apportioned his or her attentional effort between the two perceptual features so as to maximize the average probability correct.

The Howard et al (1978) findings have an alternative explanation which must be explored. It is possible that insufficient practice was provided in the experiment for listeners to fine-tune their sensitivity optimally on both stimulus dimensions. Their listeners performed 720 classifications over three days which was not sufficient to conclude that asymptotic levels had been reached. In order to study the effects of additional practice, a classification

experiment was conducted that provided extensive practice. The stimuli and experimental procedure were similar to those used in the previous study. Listeners were asked to classify sixteen amplitude modulated noise patterns into one of eight categories. The stimuli, which resembled a broad class of passive sonar signals, varied in both modulation frequency and attack. Howard et al. (1978) have referred to the perceptual correlate of modulation frequency as sound Tempo, and the perceptual correlate of attack as sound Quality. Some listeners learned a category partition that was based primarily on signal Tempo (the Tempo group), and others learned a partition that was based primarily on signal Quality (the Quality group). The aural classification model was used to analyze and interpret the results.

#### Method

Participants. Four students were recruited by advertisement. Two students were assigned to the Tempo group and two to the Quality group. All four listeners, three females and one male, reported normal hearing. Their pay was determined by a schedule that encouraged high performance.

Apparatus. All experimental events were controlled by a laboratory digital computer. Modulation waveforms were synthesized by the computer and output on a 12-bit digital-to-analog converter at a 5 kHz sampling rate. This signal was applied to the input of a laboratory-constructed transconductance operational amplifier circuit (RCA CA3084). The output gain of the operational amplifier was directly proportional to the amplitude of the modulation signal. These



amplitude-modulated signals were delivered to listeners over matched Telephonics TDH-49 headphones with MX-41/AR cushions.

Stimuli. A set of 16 amplitude-modulated noise signals was generated by combining four levels of modulation frequency (4, 4.8, 5.6, 6.4 Hz) and four levels of attack (43%, 57%, 71%, 86% of period). These sounds differed from those used by Howard et al both in modulation frequency and attack. The modulation frequency differences were made smaller in order to increase task demand and to prevent possible ceiling effects. The attack values were chosen to avoid rise times of 20-40 msec. According to Cutting and Rosner (1974), perception of rise times in this interval involves different processes than perception of rise times outside this interval.

The noise carrier was 20 Hz - 20 kHz white noise (B & K type 1402 Random Noise Generator). The modulated signals had sawtooth waveforms with the attack values indicated above. All signals were presented at about 65 dB SPL. As in the Howard et al (1978) study, two partitions of the 16 sounds into eight categories (two sounds per category) were constructed. In the Tempo partition, listeners were required to discriminate four levels of Tempo and only two of Quality (43% and 57% vs 71% and 86%). The second, Quality, partition required four levels of Quality discrimination and two of Tempo discrimination (4 and 4.8 Hz vs 5.6 and 6.4 Hz).

Procedure. The listeners were tested individually in a sound attenuated booth. They were told that their task was to learn to classify 16 sounds into eight categories, two sounds per category. No specific instructions were given about how Tempo



and Quality were to be used. Each trial began with a visual warning followed by a 2.5 or 3 sec presentation of one of the sounds. The two signal durations occurred equally often and were included to discourage a simple "peak-counting" strategy. After the signal ended, the listener pressed one of eight keys (labeled with CVC nonsense trigrams of equal association value) to indicate the category for the sound. Feedback was provided after each trial.

All listeners received 192 trials in each of 16 blocks for a total of 3072 trials. This represents a substantial increase over the 720 trials used in our earlier study. Trials were randomized within each block. Listeners normally completed two consecutive blocks a day.

#### Results and Discussion

Overall performance. Generally, all four listeners achieved asymptotic performance within eight blocks (1536 trials) as may be seen in Figure 1.

-----  
Insert Figure 1 here  
-----

It is evident from this figure, however, that the four listeners differed widely in their final performance levels. For example, listener SG achieved a final level of 85% correct, whereas listener PD remained at approximately 25% correct throughout the entire experiment. Although in all cases listeners were classifying well above the 12.5% chance level, it is evident that listeners EK and PD had considerable difficulty in using both




Figure 1. Overall percent correct by block for each of the four listeners.

dimensions. In particular, PD's 25% performance level suggests that he was totally insensitive to differences in signal Quality. Individual listener performance will be considered in more detail below.

The data also reveal higher overall performance levels for the Tempo partition than for the Quality partition (59% and 36% correct for the Tempo and Quality groups, respectively). Although this finding is consistent with the results reported by Howard et al (1978), in the present study even larger within group differences were observed.

Theoretical analysis. The Gaussian classification model was used to estimate theoretical confusion matrices for each listener on each block. The theoretical matrices were determined by selecting standard deviation parameters for each feature that minimized the discrepancy between the theoretical and observed matrices in a least squares sense. A standard, quasi-Newton gradient algorithm was used to perform the fits (subroutine ZXMIN in the IMSL statistical library). The reciprocals of the standard deviation parameters were used to estimate a subjective weight for each feature, and the two weights were summed to estimate the total attentional effort. The predicted confusion matrices were correlated with the observed matrices to judge the accuracy of the estimation. These correlations, averaged across blocks (using Fisher's z transformation), were .96, .89, .78 and .63 for listeners SG, EK, KR and PD, respectively. Thus, the fits ranged from very good for listener SG, to very poor for listener PD.

The estimated parameters for each listener are plotted as a function of block in Figures 2 to 5.

-----  
Insert Figures 2 - 5 here  
-----

Since the overall attentional effort is simply the sum of the Tempo and Quality weights, one can determine which feature a listener emphasized by comparing the Tempo weight to the total attentional effort parameter.

A question of primary interest in the present study concerns the long term stability of the listeners' overall attentional effort. In particular, does this parameter continue to increase after the 720 trials examined in the Howard et al (1978) experiment? To what extent do any increases beyond this point reflect additional tuning of the less important feature? An examination of Figures 2 - 5 reveals that with the exception of listener KR, relatively little improvement occurs after the fourth block (i.e., after 768 trials). However, since interesting individual differences exist, the data of each listener will be characterized in more detail.

Listener SG had the best overall performance. She improved consistently over the first four blocks as is evident in Figure 1. It is important to note, however, that her improved performance resulted from a fine-tuning of both the Tempo and Quality features. This is seen in Figure 2 in the initially diverging plots of the attentional effort and Tempo weight parameters. The more rapid increase in attentional effort






Figure 2. Obtained and optimal weight parameters by block for listener SG.




Figure 3. Obtained and optimal weight parameters by block for listener EK.




Figure 4. Obtained and optimal weight parameters by block for listener KR.




Figure 5. Obtained and optimal weight parameters by block for listener PD.



reveals that Quality, as well as Tempo, is becoming increasingly important. It is also interesting to note that this listener achieved a nearly optimal division of attention between the two features. Beyond the second trial block, her estimated Tempo weight is nearly identical to that required for optimal classification performance (a Tempo to Quality ratio of 60:40). The stability of the attentional effort and Tempo weight curves suggests that this listener was doing about as well as she could. This raises the possibility that sensory limitations contributed to the performance ceiling observed in this case.

The second listener in the Tempo group, listener EK, achieved little improvement after the fifth block. In contrast to SG, EK concentrated almost exclusively on the Tempo dimension. This is clearly seen in the overlapping attentional effort and Tempo weight curves in Figure 3. It is important to note that an optimal allocation of attention in this case would result in a 60:40 split between the Tempo and Quality dimensions. Since EK generally allocated between 80% and 100% of her attention to the Tempo dimension, her 40% correct performance level fell well below that observed for listener SG. Of particular interest in this case, however, are several instances when EK increased her overall attentional effort by increasing her Quality weight. This occurred on blocks 5, 7, 8, 10, 14 and 16. On these occasions her performance improved, and her division of attention was more nearly optimal. This suggests that for EK, the performance ceiling reflected by the attentional effort parameter is not attributable to sensory limitations. It appears, rather,

that this listener was able to distinguish important differences in signal quality, but did not do so in any consistent fashion. This interpretation is consistent with her post-experimental interview in which she expressed little awareness of signal Quality as an independent cue.

Although listener KR was the better of the two in the Quality group, she did not begin to improve significantly until the fifth block. The amount of overlap between the overall attentional effort and Tempo weight curves over the first three days for this listener (Figure 4) indicates that she initially concentrated almost exclusively on Tempo, the less important feature. At block 4, however, KR "discovered" the Quality dimension as is evidenced by the diverging overall effort and Tempo weight curves. From blocks 5 to 16, her attention was allocated primarily to the more important Quality dimension. The consistently higher performance during this interval is obvious in Figure 1. Despite this, however, KR focused more attention on Tempo than would have been optimal (see Figure 4). This observation, together with the relatively stable performance after block 5, suggests that KR could not do any better with the Quality dimension. As in the case of listener SG, this implies that sensory factors are playing an important role in limiting her performance.

Listener PD showed little improvement during the experiment. Most of his effort was allocated to Tempo, the less relevant dimension. In fact, his 25% correct performance level would be expected if he were accurately discriminating the two levels of

Tempo and responding randomly with regard to Quality. The slight fluctuations in performance that are observed in Figure 1 are attributable to small increments in the Quality weight since the Tempo weight remained constant over the 16 blocks. These observations were confirmed by PD's self-reported inability to distinguish the Quality differences. Since PD was familiar with the two-dimensional structure of the stimuli before beginning the experiment, his data clearly indicate a sensory limitation.

Summary and conclusions. The present findings clearly indicate that extended practice alone is not likely to lead to any significant improvements in a listener's ability to use less important, difficult signal features in aural classification. Although one listener (KR) only "discovered" the Quality dimension on block 4, very few changes occurred in the overall attentional effort parameter for any listener after block 5. The present findings also emphasize, however, that the "attentional effort" parameter reflects sensory as well as cognitive factors. Two of our listeners, EK and PD, found it extremely difficult to discriminate differences in signal Quality. On the other hand, listeners SG and KR could make use of this feature, albeit to a limited degree. There was no doubt, however, that Tempo was the easier of the two dimensions for all four listeners. Further research with Howard et al's (1978) aural classification model should address the issue of how sensory and cognitive factors contribute to the attentional effort parameter. Similar work along these lines by Gravetter and Lockhead (1973) suggests that such an approach may prove fruitful.



Acknowledgments

This research was supported by a contract from the Engineering Psychology Programs, Office of Naval Research to The Catholic University of America. James H. Howard, Jr. was the principal investigator. The authors thank Darlene V. Howard for her comments on an earlier version of this manuscript and acknowledge the contribution of Donald C. Burgy, Peter Doyle and James A. Galgano to this work.

References

- Cutting, J.E. & Rosner, B.S. Categories and boundaries in speech and music. Perception & Psychophysics, 1974, 16, 564-570.
- Durlach, N.I. & Braida, L.D. Intensity peception I. Preliminary theory of intensity resolution. Journal of the Acoustical Society of America, 1969, 46, 372-383.
- Gravetter, F. & Lockhead, G.R. Criterial range as a frame of reference for stimulus judgment. Psychological Review, 1973, 80, 203-216.
- Howard, J.H., Jr., Ballas, J.A., & Burgy, D.C. Feature extraction and decision processes in the classification of amplitude-modulated noise patterns (Technical Report ONR-78-4). Washington, D.C.: The Catholic University of America Human Performance Laboratory, July, 1978.
- Kahneman, D. Attention and effort, New York: Prentice Hall, 1973.



DIRECTOR, ENGINEERING PSYCHOLOGY  
PROGRAMS, CODE 455  
OFFICE OF NAVAL RESEARCH  
800 NORTH QUINCY STREET  
ARLINGTON, VA 22217

DEFENSE DOCUMENTATION CENTER  
CAMERON STATION  
ALEXANDRIA, VA 22314

CDR P. A. CHATELIER  
OUSPRE (E&LS)  
PENTAGON, ROOM 3D129  
WASHINGTON, D.C. 20301

DIRECTOR, VEHICLE TECHNOLOGY  
PROGRAMS, CODE 211  
OFFICE OF NAVAL RESEARCH  
800 NORTH QUINCY STREET  
ARLINGTON, VA 22217

DIRECTOR, WEAPONS TECHNOLOGY  
PROGRAMS, CODE 212  
OFFICE OF NAVAL RESEARCH  
800 NORTH QUINCY STREET  
ARLINGTON, VA 22217

DIRECTOR, ELECTROMAGNETICS  
TECHNOLOGY PROGRAMS, CODE 221  
OFFICE OF NAVAL RESEARCH  
800 NORTH QUINCY STREET  
ARLINGTON, VA 22217

DIRECTOR, INFORMATION SYSTEMS  
PROGRAM, CODE 437  
OFFICE OF NAVAL RESEARCH  
800 NORTH QUINCY STREET  
ARLINGTON, VA 22217

DIRECTOR, ACOUSTIC TECHNOLOGY  
PROGRAM, CODE 222  
OFFICE OF NAVAL RESEARCH  
800 NORTH QUINCY STREET  
ARLINGTON, VA 22217

DIRECTOR, PHYSIOLOGY PROGRAM  
CODE 441  
OFFICE OF NAVAL RESEARCH  
800 NORTH QUINCY STREET  
ARLINGTON, VA 22217

SPECIAL ASSISTANT FOR MARINE  
CORPS MATTERS, CODE 100M  
OFFICE OF NAVAL RESEARCH  
800 NORTH QUINCY STREET  
ARLINGTON, VA 22217

COMMANDING OFFICER  
ONR BRANCH OFFICE  
ATTN: DR. J. LESTER  
BUILDING 114, SECTION D  
666 SUMMER STREET  
BOSTON, MA 02210

COMMANDING OFFICER  
ONR BRANCH OFFICE  
ATTN: DR. CHARLES DAVIS  
536 SOUTH CLARK STREET  
CHICAGO, IL 60605

COMMANDING OFFICER  
ONR BRANCH OFFICE  
ATTN: DR. E. GLOYE  
1030 EAST GREEN STREET  
PASADENA, CA 91106

COMMANDING OFFICER  
ONR BRANCH OFFICE  
ATTN: MR. R. LAWSON  
1030 EAST GREEN STREET  
PASADENA, CA 91106

OFFICE OF NAVAL RESEARCH  
SCIENTIFIC LIAISON GROUP  
AMERICAN EMBASSY, ROOM A-407  
APO SAN FRANCISCO 96503

DIRECTOR  
NAVAL RESEARCH LABORATORY  
TECHNICAL INFORMATION DIVISION  
CODE 2627  
WASHINGTON, D.C. 20375

DR. ROBERT G. SMITH  
OFFICE OF THE CHIEF OF NAVAL  
OPERATIONS, OP987H  
PERSONAL LOGISTICS PLANS  
WASHINGTON, D. C. 20350

MR. ARNOLD RUBINSTEIN  
NAVAL MATERIAL COMMAND  
NAVMAT 0344  
WASHINGTON, D.C. 20360

COMMANDER  
NAVAL AIR SYSTEMS COMMAND  
HUMAN FACTORS PROGRAMS, NAVAIR 3401  
WASHINGTON, D.C. 20361

COMMANDER  
NAVAL AIR SYSTEMS COMMAND  
CREW STATION DESIGN, NAVAIR 5313  
WASHINGTON, D.C. 20361

COMMANDER  
NAVAL ELECTRONICS SYSTEMS COMMAND  
HUMAN FACTORS ENGINEERING BRANCH  
CODE 4701  
WASHINGTON, D.C. 20360

CDR R. GIBSON  
BUREAU OF MEDICINE & SURGERY  
AEROSPACE PSYCHOLOGY BRANCH  
CODE 513  
WASHINGTON, D.C. 20372

LCDR ROBERT BIRSNER  
NAVAL MEDICAL R&D COMMAND  
CODE 44  
NAVAL MEDICAL CENTER  
BETHESDA, MD 20014

LCDR T. BERGHAGE  
NAVAL MEDICAL RESEARCH INSTITUTE  
BEHAVIORAL SCIENCES DEPARTMENT  
BETHESDA, MD 20014

A. E. BISSON  
CODE 1939  
NSRDC  
CARDEROCK, MD 20084

DR. JAMES CURTIN  
NAVAL SEA SYSTEMS COMMAND  
PERSONNEL & TRAINING ANALYSES  
NAVSEA 07401  
WASHINGTON, D.C. 20362

DR. ARTHUR BACHRACH  
BEHAVIORAL SCIENCES DEPARTMENT  
NAVAL MEDICAL RESEARCH INSTITUTE  
BETHESDA, MD 20014

DR. GEORGE NOELLER  
HUMAN FACTORS ENGINEERING BRANCH  
SUBMARINE MEDICAL RESEARCH LAB.  
NAVAL SUBMARINE BASE  
GROTON, CT 06340

MR. PHILLIP ANDREWS  
NAVAL SEA SYSTEMS COMMAND  
NAVSEA 0341  
WASHINGTON, D. C. 20362

NAVY PERSONNEL RESEARCH AND  
DEVELOPMENT CENTER  
MANAGEMENT SUPPORT DEPARTMENT  
CODE 210  
SAN DIEGO, CA 92152

CHIEF  
AEROSPACE PSYCHOLOGY DIVISION  
NAVAL AEROSPACE MEDICAL INSTITUTE  
PENSACOLA, FL 32512

DR. FRED HUCKLER  
NAVY PERSONNEL RESEARCH AND  
DEVELOPMENT CENTER  
MANNED SYSTEMS DESIGN, CODE 311  
SAN DIEGO, CA 92152

NAVY PERSONNEL RESEARCH AND  
DEVELOPMENT CENTER  
CODE 305  
SAN DIEGO, CA 92152

DR. LLOYD HITCHCOCK  
HUMAN FACTORS ENGINEERING DIVISION  
NAVAL AIR DEVELOPMENT CENTER  
WARMINSTER, PA 18974

ROBERT W. BRYANT  
ASW-132  
NAVSEA  
NATIONAL CENTER #1  
WASHINGTON, D.C. 20360

CDR P. M. CURRAN  
HUMAN FACTORS ENGINEERING DIVISION  
CREW SYSTEMS DEPARTMENT  
NAVAL AIR DEVELOPMENT CENTER  
WARMINSTER, PA 18974

LCDR WILLIAM MORDNEY  
HUMAN FACTORS ENGINEERING BRANCH  
CODE 1226  
PACIFIC MISSILE TEST CENTER  
POINT MUGO, CA 93042

DR. J. D. HARRIS  
NSMRL  
SUBMARINE BASE  
GROTON, CT 06340

HUMAN FACTORS SECTION  
SYSTEMS ENGINEERING  
TEST DIRECTORATE  
U.S. NAVAL AIR TEST CENTER  
PATUXENT RIVER, MD 20670

HUMAN FACTORS ENGINEERING BRANCH  
NAVAL SHIP RESEARCH AND  
DEVELOPMENT CENTER  
ANNAPOLIS DIVISION  
ANNAPOLIS, MD 21402

DR. ROBERT FRENCH  
NAVAL OCEAN SYSTEMS CENTER  
SAN DIEGO, CA 92152

DR. JERRY C. LAMB  
DISPLAY BRANCH  
CODE TD112  
NAVAL UNDERWATER SYSTEMS CENTER  
NEW LONDON, CT 06320

NAVAL TRAINING EQUIPMENT CENTER  
ATTN: TECHNICAL LIBRARY  
ORLANDO, FL 32813

HUMAN FACTORS DEPARTMENT  
CODE N215  
NAVAL TRAINING EQUIPMENT CENTER  
ORLANDO, FL 32813

DR. ALFRED F. SMODE  
TRAINING ANALYSIS AND EVALUATION  
NAVAL TRAINING EQUIPMENT CENTER  
CODE N-00T  
ORLANDO, FL 32813

DR. GARY POOCK  
OPERATIONS RESEARCH DEPARTMENT  
NAVAL POSTGRADUATE SCHOOL  
MONTEREY, CA 93940

MR. WARREN LEWIS  
HUMAN ENGINEERING BRANCH  
CODE 8231  
NAVAL OCEAN SYSTEMS CENTER  
SAN DIEGO, CA 92152

DR. A. L. SLAFKOSKY  
SCIENTIFIC ADVISOR  
COMMANDANT OF THE MARINE CORPS  
CODE RD-1  
WASHINGTON, D.C. 20380

MR. J. BARBER  
HQs, DEPARTMENT OF THE ARMY  
DAPE-PBR  
WASHINGTON, D.C. 20546

DR. JOSEPH ZEIDNER  
TECHNICAL DIRECTOR  
U.S. ARMY RESEARCH INST.  
5001 EISENHOWER AVENUE  
ALEXANDRIA, VA 22333

DIRECTOR, ORGANIZATIONS AND  
SYSTEMS RESEARCH LABORATORY  
U. S. ARMY RESEARCH INSTITUTE  
5001 EISENHOWER AVENUE  
ALEXANDRIA, VA 22333

TECHNICAL DIRECTOR  
U.S. ARMY HUMAN ENGINEERING LAB  
ABERDEEN PROVING GROUND  
ABERDEEN, MD 21005

U.S. ARMY AEROMEDICAL RESEARCH LAB  
ATTN: CPT GERALD P. KRUEGER  
FT. RUCKER, AL 36362

U.S. AIR FORCE OFFICE OF  
SCIENTIFIC RESEARCH  
LIFE SCIENCES DIRECTORATE, NL  
BOLLING AIR FORCE BASE  
WASHINGTON, D.C. 20332

DR. DONALD A. TOPMILLER  
CHIEF, SYSTEMS ENGINEERING BRANCH  
HUMAN ENGINEERING DIVISION  
USAF AMRL/HES  
WRIGHT-PATTERSON AFB, OH 45433

AIR UNIVERSITY LIBRARY  
MAXWELL AIR FORCE BASE, AL 36112

DR. ROBERT WILLIGES  
HUMAN FACTORS LABORATORY  
VIRGINIA POLYTECHNIC INSTITUTE  
130 WHITTEMORE HALL  
BLACKSBURG, VA 24061

DR. HARRY SNYDER  
DEPT OF INDUSTRIAL ENGINEERING  
VIRGINIA POLYTECHNIC INSTITUTE  
AND STATE UNIVERSITY  
BLACKSBURG, VA 24061

DR. ARTHUR I. SIEGEL  
APPLIED PSYCHOLOGICAL SERVICES  
404 EAST LANCASTER STREET  
WAYNE, PA 19087

DR. ROBERT R. NACKIE  
HUMAN FACTORS RESEARCH, INC.  
5775 DAWSON AVE  
GOLETA, CA 93017

DR. GERSHON WELTMAN  
PERCEPTRONICS, INC.  
6271 VARIEL AVENUE  
WOODLAND HILLS, CA 91364

DR. J. A. SWETS  
BOLT, BERANEK & NEWMAN, INC  
50 BOULTON STREET  
CAMBRIDGE, MA 02138



DR. ALPHONSE CHAPANIS  
DEPT OF PSYCHOLOGY  
THE JOHNS HOPKINS UNIV  
BALTIMORE, MD 21218

DR. MEREDITH CRAWFORD  
GEORGE WASHINGTON UNIV.  
SUITE 805  
2101 L ST., N. W.  
WASHINGTON, D.C. 20037

DR. WILLIAM HOWELL  
DEPARTMENT OF PSYCHOLOGY  
RICE UNIVERSITY  
HOUSTON, TX 77001

JOURNAL SUPPLEMENT ABSTRACT SERVICE  
AMERICAN PSYCHOLOGICAL ASSOCIATION  
1200 17TH STREET, N. W.  
WASHINGTON, D.C. 20036

DR. ROBERT G. PACHELLA  
UNIVERSITY OF MICHIGAN  
DEPT. OF PSYCHOLOGY  
HUMAN PERFORMANCE CENTER  
330 PACKARD ROAD  
ANN ARBOR, MI 48104

DR. T. B. SHERIDAN  
DEPT OF MECHANICAL ENGINEERING  
MASSACHUSETTS INSTITUTE OF TECHNOLOGY  
CAMBRIDGE, MA 02139

DR. JESSE ORLANSKY  
INSTITUTE FOR DEFENSE ANALYSES  
400 ARMY-NAVY DRIVE  
ARLINGTON, VA 22202

DR. STEPHEN J. ANDRIOLE  
ADVANCED RESEARCH PROJECTS AGENCY  
1400 WILSON BLVD  
ARLINGTON, VA 22209

DR. STANLEY DEUTSCH  
OFFICE OF LIFE SCIENCES  
HQs, NASA  
600 INDEPENDENCE AVE.  
WASHINGTON, D.C. 20546

DR. J. HILLER  
NASA  
11400 ROCKVILLE PIKE  
ROCKVILLE, MD 20852

DR. WILLIAM A. MC CLELLAND  
HUMAN RESOURCES RESEARCH OFFICE  
300 N. WASHINGTON STREET  
ALEXANDRIA, VA 22314

DR. WILLIAM R. UTTAL  
DEPT OF PSYCHOLOGY, GARILEY HALL  
UNIV OF HAWAII AT MANOA  
HONOLULU, HI 96822

DR. W. S. VAUGHAN  
OCEANAUTICS, INC  
422 6TH ST  
ANNAPOLIS MD 21403

DR. DAVID GETTY  
BOLT, BERANEK & NEWMAN  
50 MOULTON STREET  
CAMBRIDGE, MA 02138

DIRECTOR, HUMAN FACTORS WING  
DEFENSE & CIVIL INSTITUTE OF  
ENVIRONMENTAL MEDICINE  
P.O. BOX 2000  
TOWNSVILLE, TORONTO, ONTARIO  
CANADA

DR. A. D. SADDLELEY  
DIRECTOR, APPLIED PSYCH. UNIT  
MEDICAL RESEARCH COUNCIL  
15 CHAUCER ROAD  
CAMBRIDGE, CB2 2EF  
ENGLAND